




Technical data sheet bucket | JET 110 P - Jokey Euro Tainer Profi



basic data

Weight category	E
weight no handle	305,0 g
volume to rim	12,00 l
top load performance	¹ 54,0 kg

dimensions

D1	294,0 mm
D2	277,0 mm
D3	256,0 mm
H without lid	222,0 mm

tolerances

dimensions	± 1 mm
Weight tolerance	± 5 %

Possible combinations


handle	Description	weight
	metal handle	39,0 g
	plastic handle	14,0 g
	roller grips	3,0 g

lid	Type	Description	stacking height two fold:	each further:
	standard	DET 290 P	432,0 mm	210,0 mm
	sealing lid	FDET 290 P	452,0 mm	222,5 mm
	shaker lid	DET 290 PR	0,0 mm	0,0 mm

decoration	Method of decoration	height:	width:	median breadth:
	Digital	150,0 mm	820,0 mm	835,0 mm
	IML	191,50 mm	847,88 mm	
	Offset	150,0 mm	820,0 mm	835,0 mm

Logistics (standard view)

Pallet	EUP (Europallet)
Width	80 cm (31,5´´)
Length	120 cm (47,24´´)
Height	2,20 m
Quantity per pallet	550
Quantity per layer	11



material

Description	Labelling	Recyclingcode
100% Virgin material		



misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances, deformations and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.

¹ For standard lids at 20°C on the lowest container



basic data

Weight category	D
weight	67,0 g
displaced volume	0,70 l

dimensions

D1	289,0 mm
H	15,0 mm

tolerances

dimensions	± 1 mm
Weight tolerance	± 5 %

Possible combinations

bucket




decoration

Method of decoration	Diameter
IML	260,00 mm
Offset	230,0 mm

Logistics (standard view)

Pallet	EUP (Europallet)
Width	80 cm (31,5´´)
Length	120 cm (47,24´´)
Height	2,20 m
Quantity per pallet	2200
Quantity per layer	11



material

Description	Labelling	Recyclingcode
100% Virgin material		



misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances, deformations and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.



basic data

Weight category	D
weight	77,0 g
displaced volume	0,70 l

dimensions

D1	289,0 mm
H	15,0 mm

tolerances

dimensions	± 1 mm
Weight tolerance	± 5 %

Possible combinations

bucket




decoration

Method of decoration	Diameter
IML	260,00 mm
Offset	230,0 mm

Logistics (standard view)

Pallet	EUP (Europallet)
Width	80 cm (31,5´´)
Length	120 cm (47,24´´)
Height	2,20 m
Quantity per pallet	2200
Quantity per layer	11



material

Description	Labelling	Recyclingcode
100% Virgin material		



misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances, deformations and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.



basic data

Weight category	E
weight	70,0 g
displaced volume	0,00 l

dimensions

D1	286,0 mm
H	21,5 mm

tolerances

dimensions	± 1 mm
Weight tolerance	± 5 %

Possible combinations

bucket




decoration

Method of decoration	Diameter
IML	0,00 mm
Offset	0,0 mm

Logistics (standard view)

Pallet	EUP (Europallet)
Width	80 cm (31,5´´)
Length	120 cm (47,24´´)
Height	2,20 m
Quantity per pallet	2200
Quantity per layer	11



material

Description	Labelling	Recyclingcode
100% Virgin material		



misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances, deformations and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.



basic data

Weight category	F
weight	83,0 g
displaced volume	0,70 l

dimensions

D1	289,0 mm
H	15,0 mm

tolerances

dimensions	± 1 mm
Weight tolerance	± 5 %

Possible combinations

bucket




decoration

Method of decoration	Diameter
IML	260,00 mm
Offset	230,0 mm

Logistics (standard view)

Pallet	EUP (Europallet)
Width	80 cm (31,5´´)
Length	120 cm (47,24´´)
Height	2,20 m
Quantity per pallet	2200
Quantity per layer	11



material

Description	Labelling	Recyclingcode
100% Virgin material		



misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances, deformations and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.


basic data

Weight category	F
weight	73,0 g
displaced volume	0,70 l

dimensions


D1	289,0 mm
H	15,0 mm

tolerances

dimensions	± 1 mm
Weight tolerance	± 5 %

Possible combinations

bucket






decoration

Method of decoration	Diameter
IML	260,00 mm
Offset	230,0 mm

Logistics (standard view)

Pallet	EUP (Europallet)
Width	80 cm (31,5´´)
Length	120 cm (47,24´´)
Height	2,20 m
Quantity per pallet	2200
Quantity per layer	11


material

Description	Labelling	Recyclingcode
100% Virgin material		


misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances, deformations and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.



basic data

Weight category	E
weight	70,0 g
displaced volume	0,70 l

dimensions

D1	289,0 mm
H	15,0 mm

tolerances

dimensions	± 1 mm
Weight tolerance	± 5 %

Possible combinations

bucket




decoration

Method of decoration	Diameter
IML	260,00 mm
Offset	230,0 mm

Logistics (standard view)

Pallet	EUP (Europallet)
Width	80 cm (31,5")
Length	120 cm (47,24")
Height	2,20 m
Quantity per pallet	2200
Quantity per layer	11



material

Description	Labelling	Recyclingcode
100% Virgin material		



misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances, deformations and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.


basic data

Weight category	Special Mould
weight	80,0 g
displaced volume	0,70 l

dimensions


D1	289,0 mm
H	15,0 mm

tolerances

dimensions	± 1 mm
Weight tolerance	± 5 %

Possible combinations

bucket




decoration

Method of decoration	Diameter
IML	260,00 mm
Offset	230,0 mm

Logistics (standard view)

Pallet	EUP (Europallet)
Width	80 cm (31,5´´)
Length	120 cm (47,24´´)
Height	2,20 m
Quantity per pallet	2200
Quantity per layer	11


material

Description	Labelling	Recyclingcode
100% Virgin material		


misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances, deformations and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.