




Technical data sheet bucket | JET 260 P - Jokey Euro Tainer Profi



**basic data**

Weight category	E
weight no handle	645,0 g
volume to rim	29,10 l
top load performance	<sup>1</sup> 65,0 kg

**dimensions**

D1	380,0 mm
D2	358,0 mm
D3	320,0 mm
H without lid	325,0 mm

**tolerances**

dimensions	± 1 mm
Weight tolerance	± 5 %

**Possible combinations**

handle	Description	weight
	metal handle	80,0 g
	no handle	+
	body grip	+
	roller grips	3,0 g


lid	Type	Description	stacking height two fold:	each further:
	standard	DET 380 P	637,0 mm	311,0 mm

decoration	Method of decoration	height:	width:	median breadth:
	Digital	220,0 mm	1080,0 mm	1080,0 mm
	IML	0,00 mm	0,00 mm	
	Offset	240,0 mm	945,0 mm	1080,0 mm

**Logistics (standard view)**

Pallet	EUP (Europallet)
Width	80 cm (31,5´´)
Length	120 cm (47,24´´)
Height	2,20 m
Quantity per pallet	240
Quantity per layer	6



**material**

Description	Labelling	Recyclingcode
100% Virgin material		



**misc.**

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances, deformations and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.

<sup>1</sup> For standard lids at 20°C on the lowest container  
Please find further Information at [www.jokey.com](http://www.jokey.com) or via email [info@jokey.com](mailto:info@jokey.com)



**basic data**

Weight category	E
weight	138,0 g
displaced volume	1,50 l

**dimensions**

D1	374,7 mm
H	15,7 mm

**tolerances**

dimensions	± 1 mm
Weight tolerance	± 5 %

**Possible combinations**

bucket




**decoration**

Method of decoration	Diameter
IML	279,00 mm
Offset	270,0 mm

**Logistics (standard view)**

Pallet	EUP (Europallet)
Width	80 cm (31,5´´)
Length	120 cm (47,24´´)
Height	0,00 m
Quantity per pallet	1296
Quantity per layer	6



**material**

Description	Labelling	Recyclingcode
100% Virgin material		



**misc.**

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances, deformations and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.



**basic data**

Weight category	Special Mould
weight	160,0 g
displaced volume	1,50 l

**dimensions**

D1	374,7 mm
H	15,7 mm

**tolerances**

dimensions	± 1 mm
Weight tolerance	± 5 %

**Possible combinations**

bucket




**decoration**

Method of decoration	Diameter
IML	279,00 mm
Offset	270,0 mm

**Logistics (standard view)**

Pallet	EUP (Europallet)
Width	80 cm (31,5´´)
Length	120 cm (47,24´´)
Height	2,20 m
Quantity per pallet	1296
Quantity per layer	6



**material**

Description	Labelling	Recyclingcode
100% Virgin material		



**misc.**

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances, deformations and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.



**basic data**

Weight category	G
weight	152,0 g
displaced volume	1,50 l

**dimensions**

D1	374,7 mm
H	15,7 mm

**tolerances**

dimensions	± 1 mm
Weight tolerance	± 5 %

**Possible combinations**

bucket




**decoration**

Method of decoration	Diameter
IML	279,00 mm
Offset	270,0 mm

**Logistics (standard view)**

Pallet	EUP (Europallet)
Width	80 cm (31,5" )
Length	120 cm (47,24" )
Height	2,20 m
Quantity per pallet	1296
Quantity per layer	6



**material**

Description	Labelling	Recyclingcode
100% Virgin material		



**misc.**

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances, deformations and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.



**basic data**

Weight category	H
weight	166,0 g
displaced volume	1,50 l

**dimensions**

D1	374,7 mm
H	15,7 mm

**tolerances**

dimensions	± 1 mm
Weight tolerance	± 5 %

**Possible combinations**

bucket




**decoration**

Method of decoration	Diameter
IML	279,00 mm
Offset	270,0 mm

**Logistics (standard view)**

Pallet	EUP (Europallet)
Width	80 cm (31,5´´)
Length	120 cm (47,24´´)
Height	2,20 m
Quantity per pallet	1296
Quantity per layer	6



**material**

Description	Labelling	Recyclingcode
100% Virgin material		



**misc.**

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances, deformations and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.