




Technical data sheet bucket | JET 26 - Jokey Euro Tainer



basic data

Weight category	E
weight no handle	63,0 g
volume to rim	2,80 l
top load performance	¹ 14,0 kg

dimensions

D1	175,0 mm
D2	163,0 mm
D3	144,0 mm
H without lid	156,0 mm

tolerances

dimensions	± 1 mm
Weight tolerance	± 5 %

Possible combinations


handle	Description	weight
	plastic handle	4,0 g

lid	Type	Description	stacking height two fold:	each further:
	standard	DET 172	304,0 mm	148,0 mm
	sealing lid	FDET 172	318,5 mm	156,5 mm

decoration	Method of decoration	height:	width:	median breadth:
	Digital	115,0 mm	463,0 mm	478,0 mm
	IML	138,79 mm	486,39 mm	
	Offset	115,0 mm	463,0 mm	478,0 mm

Logistics (standard view)

Pallet	EUP (Europallet)
Width	80 cm (31,5")
Length	120 cm (47,24")
Height	1,20 m
Quantity per pallet	1200
Quantity per layer	30



material

Description	Labelling	Recyclingcode
100% Virgin material		



misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances, deformations and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.

¹ For standard lids at 20°C on the lowest container



basic data

Weight category	F
weight	18,5 g
displaced volume	0,10 l

dimensions

D1	172,0 mm
H	10,0 mm

tolerances

dimensions	± 1 mm
Weight tolerance	± 5 %

Possible combinations

bucket

JET 23



JET 26




decoration

Method of decoration	Diameter
IML	151,50 mm
Offset	125,0 mm

Logistics (standard view)

Pallet	EUP (Europallet)
Width	80 cm (31,5´´)
Length	120 cm (47,24´´)
Height	1,20 m
Quantity per pallet	6000
Quantity per layer	30



material

Description	Labelling	Recyclingcode
100% Virgin material		



misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances, deformations and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.



basic data

Weight category	E
weight	18,0 g
displaced volume	0,00 l

dimensions

D1	172,0 mm
H	15,0 mm

tolerances

dimensions	± 1 mm
Weight tolerance	± 5 %

Possible combinations

bucket

JET 23



JET 26





decoration

Method of decoration	Diameter
IML	0,00 mm
Offset	0,0 mm

Logistics (standard view)

Pallet	EUP (Europallet)
Width	80 cm (31,5´´)
Length	120 cm (47,24´´)
Height	1,20 m
Quantity per pallet	5456
Quantity per layer	31

material

Description	Labelling	Recyclingcode
100% Virgin material		



misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances, deformations and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.


basic data

Weight category	E
weight	17,0 g
displaced volume	0,15 l

dimensions

D1	172,0 mm
H	10,0 mm

tolerances

dimensions	± 1 mm
Weight tolerance	± 5 %

Possible combinations

bucket

JET 23


JET 26

decoration

Method of decoration	Diameter
IML	151,50 mm
Offset	125,0 mm

Logistics (standard view)

Pallet	EUP (Europallet)
Width	80 cm (31,5´´)
Length	120 cm (47,24´´)
Height	1,20 m
Quantity per pallet	6000
Quantity per layer	30


material

Description	Labelling	Recyclingcode
100% Virgin material		


misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances, deformations and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.