




Technical data sheet bucket | JET 62 P - Jokey Euro Tainer Profi



basic data

Weight category	E
weight no handle	155,0 g
volume to rim	6,50 l
top load performance	¹ 20,0 kg

dimensions

D1	227,0 mm
D2	210,0 mm
D3	190,0 mm
H without lid	211,0 mm

tolerances

dimensions	± 1 mm
Weight tolerance	± 5 %

Possible combinations


handle	Description	weight
	metal handle	21,0 g
	plastic handle	10,0 g

lid	Type	Description	stacking height two fold:	each further:
	standard	DET 225 P	414,0 mm	202,0 mm
	standard	DET 56 P	0,0 mm	0,0 mm
	sealing lid	FDET 225 P	430,5 mm	212,0 mm
	shaker lid	DET 225 PR	414,0 mm	202,0 mm

decoration	Method of decoration	height:	width:	median breadth:
	Digital	160,0 mm	610,0 mm	628,0 mm
	IML	190,55 mm	662,40 mm	
	Offset	160,0 mm	610,0 mm	628,0 mm

Logistics (standard view)

Pallet	EUP (Europallet)
Width	80 cm (31,5´´)
Length	120 cm (47,24´´)
Height	2,20 m
Quantity per pallet	900
Quantity per layer	18



material

Description	Labelling	Recyclingcode
100% Virgin material		



misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances, deformations and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.

¹ For standard lids at 20°C on the lowest container
Please find further Information at www.jokey.com or via email info@jokey.com



basic data

Weight category	D
weight	33,0 g
displaced volume	0,30 l

dimensions

D1	223,0 mm
H	12,0 mm

tolerances

dimensions	± 1 mm
Weight tolerance	± 5 %

Possible combinations

bucket




decoration

Method of decoration	Diameter
IML	194,00 mm
Offset	182,0 mm

Logistics (standard view)

Pallet	EUP (Europallet)
Width	80 cm (31,5´´)
Length	120 cm (47,24´´)
Height	2,20 m
Quantity per pallet	5400
Quantity per layer	18



material

Description	Labelling	Recyclingcode
100% Virgin material		



misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances, deformations and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.


basic data

Weight category	E
weight	35,0 g
displaced volume	0,30 l

dimensions

D1	223,0 mm
H	12,0 mm

tolerances

dimensions	± 1 mm
Weight tolerance	± 5 %


Possible combinations
bucket



decoration

Method of decoration	Diameter
IML	0,00 mm
Offset	0,0 mm

Logistics (standard view)

Pallet	EUP (Europallet)
Width	80 cm (31,5")
Length	120 cm (47,24")
Height	2,20 m
Quantity per pallet	5400
Quantity per layer	18


material

Description	Labelling	Recyclingcode
100% Virgin material		


misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances, deformations and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.



basic data

Weight category	F
weight	35,0 g
displaced volume	0,00 l

dimensions

D1	222,0 mm
H	19,0 mm

tolerances

dimensions	± 1 mm
Weight tolerance	± 5 %

Possible combinations

bucket




decoration

Method of decoration	Diameter
IML	194,00 mm
Offset	0,0 mm

Logistics (standard view)

Pallet	EUP (Europallet)
Width	80 cm (31,5´´)
Length	120 cm (47,24´´)
Height	2,20 m
Quantity per pallet	4800
Quantity per layer	18



material

Description	Labelling	Recyclingcode
100% Virgin material		



misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances, deformations and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.



basic data

Weight category	C
weight	28,0 g
displaced volume	0,00 l

dimensions

D1	222,0 mm
H	19,0 mm

tolerances

dimensions	± 1 mm
Weight tolerance	± 5 %

Possible combinations

bucket




decoration

Method of decoration	Diameter
IML	194,00 mm
Offset	0,0 mm

Logistics (standard view)

Pallet	EUP (Europallet)
Width	80 cm (31,5´´)
Length	120 cm (47,24´´)
Height	2,20 m
Quantity per pallet	4800
Quantity per layer	18



material

Description	Labelling	Recyclingcode
100% Virgin material		



misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances, deformations and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.



basic data

Weight category	E
weight	34,0 g
displaced volume	0,30 l

dimensions

D1	223,0 mm
H	12,0 mm

tolerances

dimensions	± 1 mm
Weight tolerance	± 5 %

Possible combinations

bucket




decoration

Method of decoration	Diameter
IML	194,00 mm
Offset	182,0 mm

Logistics (standard view)

Pallet	EUP (Europallet)
Width	80 cm (31,5´´)
Length	120 cm (47,24´´)
Height	2,20 m
Quantity per pallet	5400
Quantity per layer	18



material

Description	Labelling	Recyclingcode
100% Virgin material		



misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances, deformations and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.



basic data

Weight category	E
weight	35,0 g
displaced volume	0,35 l

dimensions

D1	223,0 mm
H	12,0 mm

tolerances

dimensions	± 1 mm
Weight tolerance	± 5 %

Possible combinations

bucket




decoration

Method of decoration	Diameter
IML	0,00 mm
Offset	0,0 mm

Logistics (standard view)

Pallet	EUP (Europallet)
Width	80 cm (31,5´´)
Length	120 cm (47,24´´)
Height	2,20 m
Quantity per pallet	5400
Quantity per layer	18



material

Description	Labelling	Recyclingcode
100% Virgin material		



misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances, deformations and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.



basic data

Weight category	Special Mould
weight	35,0 g
displaced volume	0,35 l

dimensions

D1	223,0 mm
H	12,0 mm

tolerances

dimensions	± 1 mm
Weight tolerance	± 5 %

Possible combinations

bucket




decoration

Method of decoration	Diameter
IML	0,00 mm
Offset	0,0 mm

Logistics (standard view)

Pallet	EUP (Europallet)
Width	80 cm (31,5´´)
Length	120 cm (47,24´´)
Height	2,20 m
Quantity per pallet	5400
Quantity per layer	18



material

Description	Labelling	Recyclingcode
100% Virgin material		



misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances, deformations and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.