




Technical data sheet bucket | JETB 120 - Jokey Euro Tainer Box



basic data

| | |
|----------------------|---------------------|
| Weight category | E |
| weight no handle | 6,0 g |
| volume to rim | 0,14 l |
| top load performance | ¹ 3,9 kg |

dimensions

| | |
|---------------|---------|
| D1 | 68,5 mm |
| D2 | 61,5 mm |
| D3 | 55,5 mm |
| H without lid | 52,5 mm |

tolerances

| | |
|------------------|--------|
| dimensions | ± 1 mm |
| Weight tolerance | ± 10 % |

Possible combinations

| handle | Description | weight |
|--------|-------------|--------|
| | no handle | + |

| lid | Type | Description | stacking height two fold: | each further: |
|-----|--------------|-------------|---------------------------|---------------|
| | standard | DETB 67 | 101,4 mm | 48,3 mm |
| | standard | FDETB 67 | 0,0 mm | 0,0 mm |
| | recessed lid | DEBT 67 | 97,3 mm | 44,1 mm |

| decoration | Method of decoration | height: | width: | median breadth: |
|------------|----------------------|----------|-----------|-----------------|
| | Digital | 0,0 mm | 0,0 mm | 0,0 mm |
| | IML | 40,67 mm | 184,31 mm | |
| | Offset | 0,0 mm | 0,0 mm | 0,0 mm |

Logistics (standard view)

| | |
|---------------------|------------------|
| Pallet | EUP (Europallet) |
| Width | 80 cm (31,5'') |
| Length | 120 cm (47,24'') |
| Height | 2,20 m |
| Quantity per pallet | 24576 |
| Quantity per layer | 0 |

material

| Description | Labelling | Recyclingcode |
|----------------------|-----------|---------------|
| 100% Virgin material | | |



misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances, deformations and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.

¹ For standard lids at 20°C on the lowest container


basic data

| | |
|------------------|--------|
| Weight category | E |
| weight | 2,0 g |
| displaced volume | 0,02 l |

dimensions

| | |
|----|---------|
| D1 | 67,0 mm |
| H | 6,0 mm |

tolerances

| | |
|------------------|--------|
| dimensions | ± 1 mm |
| Weight tolerance | ± 15 % |

Possible combinations

bucket

JETB 120

JETB 155


decoration

| Method of decoration | Diameter |
|----------------------|----------|
| IML | 58,50 mm |
| Offset | 0,0 mm |

Logistics (standard view)

| | |
|---------------------|------------------|
| Pallet | EUP (Europallet) |
| Width | 80 cm (31,5´´) |
| Length | 120 cm (47,24´´) |
| Height | 2,20 m |
| Quantity per pallet | 98304 |
| Quantity per layer | 0 |

material

| Description | Labelling | Recyclingcode |
|----------------------|---|---|
| 100% Virgin material |  |  |


misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances, deformations and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.



basic data

| | |
|------------------|--------|
| Weight category | E |
| weight | 2,5 g |
| displaced volume | 0,03 l |

dimensions

| | |
|----|---------|
| D1 | 67,0 mm |
| H | 9,5 mm |

tolerances

| | |
|------------------|--------|
| dimensions | ± 1 mm |
| Weight tolerance | ± 15 % |

Possible combinations

bucket

JETB 120



JETB 155



decoration

| Method of decoration | Diameter |
|----------------------|----------|
| IML | 58,50 mm |
| Offset | 0,0 mm |

Logistics (standard view)

| | |
|---------------------|------------------|
| Pallet | EUP (Europallet) |
| Width | 80 cm (31,5´´) |
| Length | 120 cm (47,24´´) |
| Height | 2,20 m |
| Quantity per pallet | 98304 |
| Quantity per layer | 0 |

material

| Description | Labelling | Recyclingcode |
|----------------------|---|---|
| 100% Virgin material |  |  |



misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances, deformations and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.


basic data

| | |
|------------------|--------|
| Weight category | E |
| weight | 2,3 g |
| displaced volume | 0,00 l |

dimensions

| | |
|----|---------|
| D1 | 67,0 mm |
| H | 9,0 mm |

tolerances

| | |
|------------------|--------|
| dimensions | ± 1 mm |
| Weight tolerance | ± 15 % |

Possible combinations

bucket

JETB 120

JETB 155



decoration

| Method of decoration | Diameter |
|----------------------|----------|
| IML | 0,00 mm |
| Offset | 0,0 mm |

Logistics (standard view)

| | |
|---------------------|------------------|
| Pallet | EUP (Europallet) |
| Width | 80 cm (31,5") |
| Length | 120 cm (47,24") |
| Height | 2,20 m |
| Quantity per pallet | 98304 |
| Quantity per layer | 0 |

material

| Description | Labelling | Recyclingcode |
|----------------------|---|---|
| 100% Virgin material |  |  |


misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances, deformations and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.