




Technical data sheet bucket | JETB 850 - Jokey Euro Tainer Box



basic data

Weight category	E
weight no handle	30,0 g
volume to rim	0,94 l
top load performance	¹ 8,0 kg

dimensions

D1	118,0 mm
D2	107,0 mm
D3	91,0 mm
H without lid	124,0 mm

tolerances

dimensions	± 1 mm
Weight tolerance	± 10 %

Possible combinations

handle	Description	weight
	belt handle	2,0 g
	no handle	+

lid	Type	Description	stacking height two fold:	each further:
	standard	DETB 116	241,0 mm	116,0 mm
	sealing lid	FDET B 116	254,5 mm	126,5 mm

decoration	Method of decoration	height:	width:	median breadth:
	Digital	85,0 mm	300,0 mm	310,0 mm
	IML	102,81 mm	313,12 mm	
	Offset	0,0 mm	0,0 mm	0,0 mm

Logistics (standard view)

Pallet	EUP (Europallet)
Width	80 cm (31,5'')
Length	120 cm (47,24'')
Height	1,20 m
Quantity per pallet	3150
Quantity per layer	63

material

Description	Labelling	Recyclingcode
100% Virgin material		



misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances, deformations and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.



basic data

Weight category	E
weight	7,0 g
displaced volume	0,08 l

dimensions

D1	116,0 mm
H	9,5 mm

tolerances

dimensions	± 1 mm
Weight tolerance	± 15 %

Possible combinations

bucket



decoration

Method of decoration	Diameter
IML	98,50 mm
Offset	85,0 mm

Logistics (standard view)

Pallet	EUP (Europallet)
Width	80 cm (31,5´´)
Length	120 cm (47,24´´)
Height	2,20 m
Quantity per pallet	22400
Quantity per layer	0

material

Description	Labelling	Recyclingcode
100% Virgin material		



misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances, deformations and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.



basic data

Weight category	E
weight	6,5 g
displaced volume	0,00 l

dimensions

D1	115,5 mm
H	12,0 mm

tolerances

dimensions	± 1 mm
Weight tolerance	± 15 %

Possible combinations

bucket



decoration

Method of decoration	Diameter
IML	0,00 mm
Offset	0,0 mm

Logistics (standard view)

Pallet	EUP (Europallet)
Width	80 cm (31,5´´)
Length	120 cm (47,24´´)
Height	2,20 m
Quantity per pallet	19200
Quantity per layer	0

material

Description	Labelling	Recyclingcode
100% Virgin material		



misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances, deformations and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.