




Technical data sheet bucket | JET2+ 180 - Jokey Euro Tainer 2 plus



basic data

Weight category	E
weight no handle	437,0 g
volume to rim	18,95 l
top load performance	¹ 65 kg

dimensions

D1	323,0 mm
D2	310,8 mm
D3	281,4 mm
H without lid	286,0 mm

tolerances

dimensions	± 1 mm
Weight tolerance	± 5 %

Possible combinations


handle	Description	weight
	metal handle	57,0 g
	plastic handle	27,0 g
	body grip	+
	roller grips	3,0 g

lid	Type	Description	stacking height two fold:	each further:
	standard	DET2+323	556,5 mm	269,6 mm
	sealing lid	FDET2+ 323	580,5 mm	286,5 mm

decoration	Method of decoration	height:	width:	median breadth:
	Digital	200,0 mm	890,0 mm	910,0 mm
	IML	242,10 mm	928,30 mm	
	Offset	200,0 mm	890,0 mm	910,0 mm

Logistics (standard view)

Pallet	EUP (Europallet)
Width	80 cm (31,5´´)
Length	120 cm (47,24´´)
Height	2,20 m
Quantity per pallet	320
Quantity per layer	8



material

Description	Labelling	Recyclingcode
100% Virgin material		



misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances, deformations and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.

¹ For standard lids at 20°C on the lowest container
Please find further Information at www.jokey.com or via email info@jokey.com



basic data

Weight category	E
weight	110,0 g
displaced volume	1,25 l

dimensions

D1	319,2 mm
H	18,4 mm

tolerances

dimensions	± 1 mm
Weight tolerance	± 5 %

Possible combinations

bucket

JET2K2+ 323



JET2+ 165



JET2+ 180



JET2+ 210




decoration

Method of decoration	Diameter
IML	279,00 mm

Logistics (standard view)

Pallet	EUP (Europallet)
Width	80 cm (31,5´´)
Length	120 cm (47,24´´)
Height	1,70 m
Quantity per pallet	960
Quantity per layer	8



material

Description	Labelling	Recyclingcode
100% Virgin material		



misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances, deformations and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.



basic data

Weight category	E
weight	111,0 g
displaced volume	0,00 l

dimensions

D1	319,2 mm
H	19,7 mm

tolerances

dimensions	± 1 mm
Weight tolerance	± 5 %

Possible combinations

bucket

JET2+ 165



JET2+ 180



JET2+ 210




decoration

Method of decoration	Diameter
IML	279,00 mm

Logistics (standard view)

Pallet	EUP (Europallet)
Width	80 cm (31,5´´)
Length	120 cm (47,24´´)
Height	1,15 m
Quantity per pallet	960
Quantity per layer	8



material

Description	Labelling	Recyclingcode
100% Virgin material		



misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances, deformations and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.



basic data

Weight category	F
weight	115,0 g
displaced volume	1,25 l

dimensions

D1	319,2 mm
H	18,4 mm

tolerances

dimensions	± 1 mm
Weight tolerance	± 5 %

Possible combinations

bucket

JET2K2+ 323



JET2+ 165



JET2+ 180



JET2+ 210




decoration

Method of decoration	Diameter
IML	279,00 mm

Logistics (standard view)

Pallet	EUP (Europallet)
Width	80 cm (31,5´´)
Length	120 cm (47,24´´)
Height	1,70 m
Quantity per pallet	960
Quantity per layer	8



material

Description	Labelling	Recyclingcode
100% Virgin material		



misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances, deformations and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.