40,0 g


1,38 |

7,0 kg









basic data

weight

Weight category

volume to rim

dimensions

D1	191,5 x 128,5 mm/inch
D2	181,0 x 118,0 mm/inch
D3	171,0 x 108,0 mm/inch
H without lid	72,0 mm/inch

tolerances

dimensions	±1 mm/in
Weight tolerance	±5%

Possible combinations

top load performance

no handle

handle	Description	١	weight	
	no handle		+	
lid	Туре	Description	stacking height two fo	ld: each further:
	standard	DETS 12	137,0 mm/inch	64,8 mm/inch
	sealing lid	FDETS12	149,0 mm/inch	72,8 mm/inch
decoration	Method of decoration	height:	width:	median breadth:
	Digital	0,0 mm/inch	0,0 mm/inch	0,0 mm/inch
	IML	53,63 mm/inch	539,89 mm/inch	
	Offset	0,0 mm/inch	0,0 mm/inch	0,0 mm/inch

Logistics (standard view)

Pallet	EUP (Europallet)
Width	80 cm (31,5´´)
Length	120 cm (47,24´´)
Height	1,20 m
Quantity per pallet	1980
Quantity per layer	36

material

Description	Labelling	Recyclingcode	
100% Virgin material		^	









misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances, deformations and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.





	· · · · · · · · · · · · · · · · · · ·	
basic data	dimensions	tolerances
Dasic data	ullielisiolis	tolerances

Weight category	F	D1	189,0 x 126,0 mm/inch	dimensions	±1 mm/in
weight	17,0 g	Н	8,6 mm/inch	Weight tolerance	± 10 %
displaced volume	0,23				

Possible combinations

bucket

JETS 12



decoration	Method of decoration	height:	width:
	IML	113,00 mm/inch	177,00 mm/inch
	Offset	0.0 mm/inch	

Logistics (standard view)

Pallet	EUP (Europallet)
Width	80 cm (31,5´´)
Length	120 cm (47,24´´)
Height	2,20 m
Quantity per pallet	16704
Quantity per layer	36

material

Description	Labelling	Recyclingcode	
100% Virgin material		^	







misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances, deformations and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.





· · · · · · · · · · · · · · · · · · ·	
dimensions	tolerances
	dimensions

Weight category	Е	D1	189,0 x 126,0 mm/inch	dimensions	±1mm/ir
weight	16,5 g	Н	11,5 mm/inch	Weight tolerance	± 10 %
displaced volume	0,001				

Possible combinations

bucket

JETS 12



decoration	Method of decoration	Diameter
	IML	0,00 mm/inch
	Offset	0.0 mm/inch

Logistics (standard view)

Pallet	EUP (Europallet)
Width	80 cm (31,5´´)
Length	120 cm (47,24´´)
Height	2,20 m
Quantity per pallet	16704
Quantity per layer	36

material

Description	Labelling	Recyclingcode	
100% Virgin material		^	









misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances, deformations and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.